



## Service History Report

June 16, 2022  
50097

### Jonathans Landing

Date Range: 05/01/22..05/31/22

Toll Free: (888) 480-5253  
Fax: (888) 358-0088  
www.solitudelakemanagement.com

**Service Date** 5/1/2022 **11678**  
**No.** PI-A00801996  
**Order No.** SMOR-589227  
**Contract No.** SVR56453

**Technician Name and State License #s**  
 \*\*NLE Gary Navalance  
 Luis Santiago

Service Item #	Description	Lake No.	Lake Name
11678-WATERWAY	<b>JONATHAN'S LANDING POA Waterway</b>		Waterway
Technician's Comments:	Finished submersed eelgrass treatment today on #3 as per contract agreement,also water testing as usual. Crew spraying algae in #1 with canoe/backpacks asrequested!		
General Comments:	Inspected Lake		
Inspected for Aquatic Weeds			Treated
Inspected for Undesirable Shoreline Vegetation			OK
Inspected for algae			Treated
Trash & Light Debris Removal			OK

**Service Date** 5/26/2022 **11678**  
**No.** PI-A00818135  
**Order No.** SMOR-588739  
**Contract No.** SVR56045

**Technician Name and State License #s**  
 Dan Cook

Service Item #	Description	Lake No.	Lake Name
11678-AERATOR-001	<b>Jonathan's Landing - Aerator #1</b>		
Technician's Comments:	Tested all systems ok.		
General Comments:	Serviced Aeration System		
Pressure Relief Valve			OK

**Service Date** 5/26/2022 **11678**  
**No.** PI-A00818954  
**Order No.** SMOR-595035  
**Contract No.** SVR56045

**Technician Name and State License #s**  
 Paul Bondeson (FL-CM22284)  
 Dan Cook

Service Item #	Description	Lake No.	Lake Name
11678-AERATOR-001	<b>Jonathan's Landing - Aerator #1</b>		
General Comments:	Serviced Aeration System		
Aerator Amps			Aerator Voltage

Air Delivery Tubing	OK	Air Filter	OK
Control Valves	OK	Cooling Fan	OK
Diffusers Fixed/Replaced		Diffusers Running	
Inlet Check Valve	OK	Muffler Jar	OK
Pressure	OK	Pressure Gauge	OK
Pressure Relief Valve	OK		

---

Service Item #	Description	Lake No.	Lake Name
<b>11678-AERATOR-002</b>	<b>Jonathan's Landing - Aerator #2</b>		
Technician's Comments:	Tested all systems ok, also fixed airstation that floated up.		
General Comments:	Serviced Aeration System		
Aerator Amps		Aerator Voltage	
Air Delivery Tubing	OK	Air Filter	OK
Control Valves	OK	Cooling Fan	OK
Diffusers Fixed/Replaced		Diffusers Running	
Inlet Check Valve	OK	Muffler Jar	OK
Pressure	OK	Pressure Gauge	OK
Pressure Relief Valve	OK		

---

Service Item #	Description	Lake No.	Lake Name
<b>11678-AERATOR-003</b>	<b>Jonathan's Landing - Aerator #3</b>		
Technician's Comments:	System with low pressure installed rebuild kits, tested all systems ok.		
General Comments:	Serviced Aeration System		
Aerator Amps		Aerator Voltage	
Air Delivery Tubing	OK	Air Filter	OK
Control Valves	OK	Cooling Fan	OK
Diffusers Fixed/Replaced		Diffusers Running	
Inlet Check Valve	OK	Muffler Jar	OK
Pressure	OK	Pressure Gauge	OK
Pressure Relief Valve	OK		

---

Service Item #	Description	Lake No.	Lake Name
<b>11678-AERATOR-004</b>	<b>Jonathan's Landing - Aerator #4</b>		
Technician's Comments:	Tested all systems and everything is working properly.		
General Comments:	Serviced Aeration System		
Aerator Amps		Aerator Voltage	
Air Delivery Tubing	OK	Air Filter	OK
Control Valves	OK	Cooling Fan	OK
Diffusers Fixed/Replaced		Diffusers Running	
Inlet Check Valve	OK	Muffler Jar	OK
Pressure	OK	Pressure Gauge	OK
Pressure Relief Valve	OK		

---

Service Item #	Description	Lake No.	Lake Name
<b>11678-AERATOR-005</b>	<b>Jonathan's Landing - Aerator #5</b>		
Technician's Comments:	Tested all systems ok.		
General Comments:	Serviced Aeration System		
Aerator Amps		Aerator Voltage	
Air Delivery Tubing	OK	Air Filter	OK
Control Valves	OK	Cooling Fan	OK
Diffusers Fixed/Replaced		Diffusers Running	
Inlet Check Valve	OK	Muffler Jar	OK

Pressure	OK	Pressure Gauge	OK
Pressure Relief Valve	OK		

Service Item #	Description	Lake No.	Lake Name	
<b>11678-AERATOR-006</b>	<b>Jonathan's Landing - Aerator #6</b>			
Technician's Comments:	Tested all systems ok.			
General Comments:	Serviced Aeration System			
Aerator Amps			Aerator Voltage	
Air Delivery Tubing	OK		Air Filter	OK
Control Valves	OK		Cooling Fan	OK
Diffusers Fixed/Replaced			Diffusers Running	
Inlet Check Valve	OK		Muffler Jar	OK
Pressure	OK		Pressure Gauge	OK
Pressure Relief Valve	OK			

Service Item #	Description	Lake No.	Lake Name	
<b>11678-AERATOR-007</b>	<b>Jonathan's Landing - Aerator #7</b>			
Technician's Comments:	System with low pressure but piston top plate has stripped out screw holes and cant be rebuilt, a quote for a new compressor will be sent.			
General Comments:	Serviced Aeration System			
Aerator Amps			Aerator Voltage	
Air Delivery Tubing	OK		Air Filter	OK
Control Valves	OK		Cooling Fan	OK
Diffusers Fixed/Replaced			Diffusers Running	
Inlet Check Valve	OK		Muffler Jar	OK
Pressure	OK		Pressure Gauge	OK
Pressure Relief Valve	OK			

Service Item #	Description	Lake No.	Lake Name	
<b>11678-AERATOR-008</b>	<b>Jonathan's Landing - Aerator #8</b>			
Technician's Comments:	Fan not operating at arrival found a piece of mulch stuck in it, freed up fan and tested all systems ok.			
General Comments:	Serviced Aeration System			
Aerator Amps			Aerator Voltage	
Air Delivery Tubing	OK		Air Filter	OK
Control Valves	OK		Cooling Fan	OK
Diffusers Fixed/Replaced			Diffusers Running	
Inlet Check Valve	OK		Muffler Jar	OK
Pressure	OK		Pressure Gauge	OK
Pressure Relief Valve	OK			

Service Item #	Description	Lake No.	Lake Name	
<b>11678-AERATOR-009</b>	<b>Jonathan's Landing - Aerator #9</b>			
Technician's Comments:	Tested all systems ok.			
General Comments:	Serviced Aeration System			
Aerator Amps			Aerator Voltage	
Air Delivery Tubing	OK		Air Filter	OK
Control Valves	OK		Cooling Fan	OK
Diffusers Fixed/Replaced			Diffusers Running	
Inlet Check Valve	OK		Muffler Jar	OK
Pressure	OK		Pressure Gauge	OK
Pressure Relief Valve	OK			

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-001</b>	<b>Jonathan's Landing - Fountain #1</b>		
Technician's Comments:	Çleaned and serviced fountain.		
General Comments:	Serviced Fountain		
Fountain Amps	13	Fountain Voltage	240 single
GFCI Breaker Test	OK	Control Breaker	OK
Contactora (Starter)	OK	Motor Overload	OK
Fountain Power Cable	OK	Fuses	OK
Fountain-Timer	OK	Shaft Propeller Impeller	OK
Clean Debris Screen	OK	Clean Nozzles	OK
Fountain Disconnect	OK	Lighting Amps	
Lighting Voltage		No. of Lights Burned Out	
No. of Lights Replaced		Clean Lights	OK
Lighting Timer	OK	Lighting Power Cable	OK
Fixtures	OK	Lenses/Seals	OK
Lighting Disconnect	OK		

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-002</b>	<b>Jonathan's Landing - Fountain #2</b>		
Technician's Comments:	Çleaned and serviced fountain.		
General Comments:	Serviced Fountain		
Fountain Amps	13	Fountain Voltage	240 single
GFCI Breaker Test	OK	Control Breaker	OK
Contactora (Starter)	OK	Motor Overload	OK
Fountain Power Cable	OK	Fuses	OK
Fountain-Timer	OK	Shaft Propeller Impeller	OK
Clean Debris Screen	OK	Clean Nozzles	OK
Fountain Disconnect	OK	Lighting Amps	
Lighting Voltage		No. of Lights Burned Out	
No. of Lights Replaced		Clean Lights	OK
Lighting Timer	OK	Lighting Power Cable	OK
Fixtures	OK	Lenses/Seals	OK
Lighting Disconnect	OK		

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-003</b>	<b>Jonathan's Landing - Fountain #3</b>		
Technician's Comments:	Çleaned and serviced fountain.		
General Comments:	Serviced Fountain		
Fountain Amps	13	Fountain Voltage	240 single
GFCI Breaker Test	OK	Control Breaker	OK
Contactora (Starter)	OK	Motor Overload	OK
Fountain Power Cable	OK	Fuses	OK
Fountain-Timer	OK	Shaft Propeller Impeller	OK
Clean Debris Screen	OK	Clean Nozzles	OK
Fountain Disconnect	OK	Lighting Amps	
Lighting Voltage		No. of Lights Burned Out	
No. of Lights Replaced		Clean Lights	OK
Lighting Timer	OK	Lighting Power Cable	OK
Fixtures	OK	Lenses/Seals	OK
Lighting Disconnect	OK		

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-004</b>	<b>Jonathan's Landing - Fountain #4</b>		
Technician's Comments:	Çleaned and serviced fountain.		
General Comments:	Serviced Fountain		
Fountain Amps	16.1	Fountain Voltage	240
GFCI Breaker Test	OK	Control Breaker	OK
Contactora (Starter)	OK	Motor Overload	OK
Fountain Power Cable	OK	Fuses	OK
Fountain-Timer	OK	Shaft Propeller Impeller	OK
Clean Debris Screen	OK	Clean Nozzles	OK
Fountain Disconnect	OK	Lighting Amps	.33
Lighting Voltage	120	No. of Lights Burned Out	
No. of Lights Replaced		Clean Lights	OK
Lighting Timer	OK	Lighting Power Cable	OK
Fixtures	OK	Lenses/Seals	OK
Lighting Disconnect	OK		

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-005</b>	<b>Jonathan's Landing - Fountain #5</b>		
Technician's Comments:	Çleaned and serviced fountain.		
General Comments:	Serviced Fountain		
Fountain Amps	13	Fountain Voltage	240
GFCI Breaker Test	OK	Control Breaker	OK
Contactora (Starter)	OK	Motor Overload	OK
Fountain Power Cable	OK	Fuses	OK
Fountain-Timer	OK	Shaft Propeller Impeller	OK
Clean Debris Screen	OK	Clean Nozzles	OK
Fountain Disconnect	OK	Lighting Amps	
Lighting Voltage		No. of Lights Burned Out	
No. of Lights Replaced		Clean Lights	OK
Lighting Timer	OK	Lighting Power Cable	OK
Fixtures	OK	Lenses/Seals	OK
Lighting Disconnect	OK		

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-006</b>	<b>Jonathan's Landing - Fountain #6</b>		
Technician's Comments:	Çleaned and serviced fountain.		
General Comments:	Serviced Fountain		
Fountain Amps	16.3	Fountain Voltage	240
GFCI Breaker Test	OK	Control Breaker	OK
Contactora (Starter)	OK	Motor Overload	OK
Fountain Power Cable	OK	Fuses	OK
Fountain-Timer	OK	Shaft Propeller Impeller	OK
Clean Debris Screen	OK	Clean Nozzles	OK
Fountain Disconnect	OK	Lighting Amps	
Lighting Voltage		No. of Lights Burned Out	
No. of Lights Replaced		Clean Lights	OK
Lighting Timer	OK	Lighting Power Cable	OK
Fixtures	OK	Lenses/Seals	OK
Lighting Disconnect	OK		

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-020</b>	<b>Circulation Unit #2</b>		
Technician's Comments:	Waiting for repair.		
General Comments:	Serviced Aeration System		
Fountain Amps			Fountain Voltage
GFCI Breaker Test	OK		Control Breaker OK
Contactora (Starter)	OK		Motor Overload OK
Fountain Power Cable	OK		Fuses OK
Fountain-Timer	OK		Shaft Propeller Impeller OK
Clean Debris Screen	OK		Clean Nozzles OK
Fountain Disconnect	OK		

Service Item #	Description	Lake No.	Lake Name
<b>11678-FOUNTAIN-021</b>	<b>Circulation Unit #1</b>		
Technician's Comments:	Waiting for repair.		
General Comments:	Serviced Aeration System		
Fountain Amps			Fountain Voltage
GFCI Breaker Test	OK		Control Breaker OK
Contactora (Starter)	OK		Motor Overload OK
Fountain Power Cable	OK		Fuses OK
Fountain-Timer	OK		Shaft Propeller Impeller OK
Clean Debris Screen	OK		Clean Nozzles OK
Fountain Disconnect	OK		